



The Lift all others are judged by...



PAR WEST

**The First Equipment Lift Engineered
and Designed for Turf Equipment**

parwest.com • 714-893-1555 • email: sales@parwest.com

Only Trion offers a complete system you design for your needs.

- A) Do you use compressed air tools?
- B) Do you regularly do mower inspections?
- C) Do you ever service golf cars or road vehicles?
- D) Do you service cutting units, walkmowers or gang reels?
- E) Do you ever do wheel or brake work on mowers?
- F) Do you ever transport cutting units to the grinder? Do you ever need to move heavy things in the shop?

Don't just move equipment up and down off the floor. Trion equips your modern shop to do all these tasks (and more!) quickly and safely.



A) Air Hose Reel

conveniently mounts right on the lift.



F) DL1300 Mobile Lift Table

makes transporting mower components and other heavy objects practically effortless.

Protected by one or more of the following U.S. patents:
#5,207,296; #5,207,297; #5,211,264; #5,213,310;
#5,213,486; #5,324,005; #5,362,196.

**B) Inspection Light
and Power Cord Reels**

plug into the appliance outlets
provided on the lift.



This is just a sampling of
our accessory products.
See our accessory catalog
for a complete listing.


**C) Tool Bar
Extensions**

are self-storing, so they
add road vehicle (i.e.
truck) service capability
without taking up valuable
shop space when they
are not being used.



**D) Universal
Mower Adapter
and
Attachments**

put a new "spin" on the
productivity available for
walkmowers, cutting units
and gang reel service.



Important features found on every Pro-M

Uni-Beam Construction

keeps all hydraulic and electrical components well above the floor and far from potential spark hazards associated with flammable spills and fumes. Each is also pre-wired, pre-plumbed and pre-tested before shipment for easy customer assembly.

Power Saver Hydraulics

allows "plug and play" operation at 220v 1 PH

Specifications	
Dimensions	
Overall Height	138"
Overall Length	121"
Overall Width	122"
Shipping Weight	1,685 lb.
Capacity	
Max. Wheel Width Accepted	96"
Max Wheel Base Accepted	86" (140" w/extensions)
Lifting Height/Weight	6 ft/5000 lb.
Features	
Power Unit	1-1/2 HP, 220v 1PH
Controls	All in one location
Installation	Self install with common tools in approx. 3 hours
Warranty	5-year parts

Tilt & Glide Wheel Forks

operate smoothly and easily with a self-locking design that doesn't add extra steps to the loading/unloading process.

Single Point Controls

simplify lift operation.

Instructions Right on the Lift

including safety instructions and our toll-free customer service number, make it easy to contact Trion experts, both during and after the warranty period.

Weight Distributing Base Beams

make Trion Lifts self-supporting so they can be installed on any surface. They also provide worry-free loading for overhung and unbalanced vehicles while rarely ever having to reposition the wheel tray.

Accu-load System Decals

take the guesswork out of mower positioning.

Quality and productivity have always been and always will be Trion's focus. We are dedicated to the turf industry and our products are carefully designed with turf professionals in mind. Trion's ongoing commitment assures research will continue to bring new products and services designed to aid you in maintaining the wide variety of equipment you must service daily. And Trion promises uncompromising technical and service support with a strong warranty program that aims at total customer satisfaction.

©2016 Trion Lifts, Inc. All Specifications subject to change without notice

Trion is the most recognized name in the turf maintenance lift industry because it created the industry.